

 **Sealed Air**

# NewAir I.B.™ 200

Packaging System



**On-Site, On-Demand  
High Performance Inflatable Cushioning**

# NewAir I.B.™ 200 Packaging System

## A Revolutionary, Cost-Efficient Inflatable Cushioning Solution

### The Difference Is In The Barrier Bubble™ Technology


The NewAir I.B.™ 200 packaging system automatically inflates and dispenses 19mm height patented Barrier Bubble™ cushioning material. The Sealed Air® proprietary film technology retains air longer than non-barrier polyethylene air cellular materials and out-performs other materials for cushioning and overall packaging protection.




### Unmatched Cushioning Properties

Designed to withstand the rigors of today's global shipping environments, NewAir I.B.™ inflatable cushioning material maintains its excellent cushioning properties throughout the entire shipping cycle.

It provides superior protection compared to paper packaging by retaining over 95% of its original thickness\* and absorbing 60% more of the transmitted shock after three drops from 76cm:



Lofted paper cushioning material, under the same nominal pressure, loses well over half of its original thickness\*:



### Cost Effective, Saves Space

Increase your productivity, free up valuable warehouse space and cut your costs with a NewAir I.B.™ 200 system. Make the equivalent of a lorry load of traditional air cellular materials with just 32 rolls of our 450m film!

\*"Original Thickness" is defined as the thickness of materials as measured under a nominal 0.20-psi (0,15kg/cm<sup>2</sup>) load.

### All Electric, Fast And Flexible

The NewAir I.B.™ 200 system dispenses 1.9m<sup>2</sup> (0.037m<sup>3</sup>) of inflatable cushioning per minute. Powered by a standard standard 220-240V outlet, with no shop air requirement, the system is completely portable.

A dedicated operator is not required. Just plug it in, power it up, load a roll of film and let it run. An auto-replenishment sensor keeps the portable bin filled for on-demand packaging.

### Select The Option That Best Fits Your Needs



#### Bulk Transfer Dispensing Arm

Increases accumulation of NewAir I.B.™ cushioning material to 23.5m<sup>2</sup> in one production cycle, filling a bulk bin.



#### Roll Winder

Makes 90cm diameter bundles of air cellular cushioning material on-site, on-demand.



#### On-line Dispense Control

An operator-controlled foot pedal regulates the amount of inflatable air cellular cushioning dispensed in on-line applications.

### Specifications

#### Electrical:

220-240V,  
50Hz, 5A,  
Single Phase


#### Weight

(without roll):  
103 kg.

#### Overall Size

(L x W x H):

97cm x 83cm x 155cm



Passes altitude performance tests for ground and air shipping. CE and CSA approved. Meets "creep" requirements under mil. spec. PPP-C-795D.



Packaging Product Division  
Telford Way, Kettering,  
Northants NN16 8UN, England  
Tel: +44 (0)1536 315700 Fax: +44 (0)1536 410576  
E-mail: PPDeuomktg@sealedair.com  
www.sealedair-emea.com

**Our Products Protect Your Products®**

Distributed by:

Corporate Office: Sealed Air Corporation,  
Park 80 East, Saddle Brook, NJ 07663-5291 www.sealedair.com

© Sealed Air Corporation 2006. All Rights Reserved.